Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S	15	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap)) same (compression or compress or compressing or compressed)	USPAT	OR	OFF	2005/11/30-17:40
23	42	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap)) same (compression or compress or compressed) compressed)	US-PGPUB	OR	OFF	2005/11/30 17:32
ន	0	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap)) same (compression or compress or compressed) compressed)	USOCR	OR	OFF	2005/12/05 13:44
22	2	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap)) same (compression or compress or compressed) compressed)	O D	OR	OFF	2005/11/30 17:32
SS	4	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap)) same (compression or compress or compresses or compressing or compressed)	JPO .	SO	OFF	2005/11/30:17:32
9S	m	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap)) same (compression or compress or compressed) compressed)	DERWENT	S S	OFF	2005/11/30 17:32
23	0	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap)) same (compression or compress or compresses or compressed)	IBM_TDB	ಜ	OFF	2005/11/30.17:32
88	σ	("20030048975"   "20040056243"   "20040096175"   "6052220"   "6236774"   "6289027"   "6710366"   "6717717"   "6734453").PN. OR ("6856737").URPN.	US-PGPUB; USPAT; USOCR	S S	OFF	2005/11/30 17:34
8	0	("2004/0156404").URPN.	USPAT	g	OFF	2005/11/30 17:38
S10	2435	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap))	US-PGPUB; USPAT; USOCR	SO.	OFF	2005/11/30 17:40
S11	147	S10 and (planar near2 (photonic))	US-PGPUB; USPAT; USOCR	8	OFF	2005/11/30.17:46
S12	12	S11 and (compression or compress or compresses or compressing or compressed)	USPAT	8	OFF	2005/11/30 17:40

S13	282	connelly-cushwa	US-PGPUB; USPAT; USOCR	g	OFF	2005/11/30 17:46
S14	14	("5216680"   "5682401"   "5684817"   "5838870"   "5852688"   "5907427"   "6028693"   "6035089"   "6215928").PN. OR ("6532326").URPN.	US-PGPUB; USPAT; USOCR	SO.	OFF	2005/11/30 17:49
S15	11350	(pulse with (compression or compressor or compressors or compressed or compress or compresses or compressing))	US-PGPUB; USPAT; USOCR	%	OFF	2005/11/30 17:50
S16	98	S10 and S15	US-PGPUB; USPAT; USOCR	S.	OFF	2005/11/30 17:50
S17	2444	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap))	US-PGPUB; USPAT; USOCR	R	OFF	2005/12/01 10:31
S18	1807	((photonic) near2 (crystal or crystalline or crystals or band-gap or bandgap))	EPO; JPO; DERWENT; IBM_TDB	8	OFF	2005/12/01 10:31
S19	143	S18 and dispersion	EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2005/12/01 10:33
S21	1024	S17 and dispersion	US-PGPUB; USPAT; USOCR	OR S	OFF	2005/12/01 10:54
<b>S22</b>	4	S19 and @pd<"20021111"	EPO; JPO; DERWENT; IBM_TDB	S S	OFF	2005/12/01 10:41
S23	522	S21: and :@ad<"20021111"	US-PGPUB; USPAT; USOCR	OR	0FF	2005/12/01 10:41
524	3146	(385/37).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	S.	OFF	2005/12/01 10:41

2005/12/01 10:50	2005/12/01 10:50	2005/12/01 10:54	2005/12/01 19:05	2005/12/01 19:02	2005/12/01 19:02	2005/12/01 19:02	2005/12/01 19:04	2005/12/01 19:02	2005/12/01 19:02	2005/12/01 19:05
OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
RO	ğ	8	8	S S	중	&	8	R	8	S.
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB	USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
S24 and ((pulse or pulses or signal or signals) near2 (compressor or compression or compressors or compressing or compress))	S23 and (compressor or compression or compressors or compressing or compressed or compressing or compress)	S17 and ((dispersion or chirp) near2 (compensator or compensators or compensate or compensation or compensated or compensating))	(optical or optic or light) with (pulse near2 (compressor or compressors or compress or compresses or compressed or compression or compressing))	(optical or optic or light) with (pulse near2 (compressor or compressors or compresses or compresses or compressed or compression or compressing))	(optical or optic or light) with (pulse near? (compressor or compressors or compresses or compressed or compression or compressing))	(optical or optic or light) with (pulse near2 (compressor or compressors or compresses or compressing))	(S28 or S29 or S30) and (photonic near2 (band-gap or bandgap or structure or crystal or crystals or crystalline))	(S28 or S29 or S30) and (photonic near2 (band-gap or bandgap or structure or crystal or crystals or crystalline))	S31. and (photonic near2 (band-gap or bandgap or structure or crystal or crystals or crystalline))	(S28 or S29 or S30) and (planar near2 (waveguide or waveguides or light-guide or light-guides or guide or guides))
55	28	261	433	217	1	321	51	0	н	41
S25	S26	527	S28	825	230	S31	232	533	S34	535

536	0	S31 and (planar near2 (waveguide or waveguides or light-guide or light-guides or guide or guides))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 19:05
237	158	((optical or optic or light) with (pulse near2 (compressor or compressing)) compress or compresses or compressed or compression or compressing))).	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	č	7. 1.	2005/12/01.19:06
238	1	("6650466").PN.	USPAT	OR	PFO	2005/12/02 15:51
839	0	S38 and photonic	USPAT	OR	OFF	2005/12/02 15:52
S40	H	("6856737").PN.	USPAT	g R	OFF	2005/12/02 16:00
241	7	S40 and (index or indices)	USPAT	ಕ	OFF	2005/12/02 16:00
S42	н	("6798960").PN.	USPAT	R	OFF	2005/12/05 13:44
<b>S</b> 43	0	S42 and (planar)	USPAT	OR	OFF	2005/12/05 13:44
<del>2</del>	1	S42 and (substrate)	USPAT	S S	OFF	2005/12/05 13:45
S45	-1	S42 and (waveguide)	USPAT	OR S	T-LO	2005/12/05 13:45
S46	2573	hamada.in.	USPAT	R	OFF	2005/12/05 13:45
S47	29	S46 and waveguide	USPAT	OR	OFF	2005/12/05 13:47
S48	9	(dispersion near2 (compensator or compensators)) with (photonic near2 (crystal or crystals or structure or structures))	USPAT	S.	OFF	2005/12/05 13:49
S <del>4</del> 9	o	(dispersion near2 (compensator or compensators)) with (photonic near2 (crystal or crystals or structure or structures))	US-PGPUB; USOCR	OR.	OFF	2005/12/05 14:13
S50	φ	(dispersion near2 (compensator or compensators)) with (photonic near2 (crystal or crystals or structure or structures))	EPO; JPO; DERWENT; IBM_TDB	SO.	OFF	2005/12/05 13:49
S51	-1	("6901194").PN:	USPAT	č	OFF	2005/12/05 16:58
S52	H	S51 and (dispersion or compression)	USPAT	OR S	OFF	2005/12/05 16:02
<b>S</b> 53	2	parker.in. and baumberg.in.	USPAT	S.	OFF	2005/12/05 16:03

S54	22	("20020021878"   "20020059897"   "20020061176"   "20020181911"   "20030174940"   "5187461"   "5471180"   "5559825"   "5748057"   "5751466"   "5784400"   "5802236"   "5997795"   "599308"   "6002522"   "6028693"   "6262830"   "6538794"   "6640034"   "6674778"   "6683898"   "6710912").PN. OR ("6888994").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:03
S55	Q	("20030048975"   "20040056243"   "20040096175"   "6052220"   "6236774"   "6289027"   "6710366"   "6717717"   "6734453").PN. OR ("6856737").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:05
S56	1	("6901194").PN.	USPAT	R	OFF	2005/12/05 16:15
257	0	\$56 and (one-dimensional or (one near2 dimension) or 1D or 1-D)	USPAT	ಜ	OFF	2005/12/05 16:17
S58	0	\$56 and (one-dimensional or (one near2 dimension) or 1D or 1-D or (one near2 dimensional))	USPAT	S S	OFF	2005/12/05 16:17
S59	-1	\$56 and (dimension or dimensional or dimensions)	USPAT	೫	-E-0	2005/12/05 16:19
S60	2906	(385/37).CCLS.	US-PGPUB; USPAT	OR.	OFF	2005/12/05 16:19
S61	364	\$60 and (dispersion near2 (compensate or compensating or compensation or compensated or compensator or compensators))	USPAT	S.	OFF	2005/12/05 16:19
295	164	\$61 and (substrate or substrates)	USPAT	S.	OFF	2005/12/05 16:19
S63	-	S51 and (shape or shapes or shaped)	USPAT	R	OFF	2005/12/05 16:59
S64	1		USPAT	S.	OFF	2005/12/05 17:07
265	7	\$51 and (square)	USPAT	ಜ	P.F.O	2005/12/05 17:00
998	н	\$51 and (fill or filling or fills or filled or cover or covers or covering or covered)	USPAT	8	OFF	2005/12/05 17:07
292	33	(US-20020167714-\$ or US-20030031438-\$ or US-20030048975-\$ or US-20030053352-\$ or US-20030123827-\$ or US-20040156404-\$ or US-20040156610-\$ or US-20040123536-\$ or US-20040156610-\$ or US-20040213536-\$ or US-20040264903-\$ or US-20050047702-\$ or US-20050047739-\$ or US-20050047702-\$ or US-20040146257-\$ or US-20050026244-\$).did. or US-20050226278-\$ or US-6040146257-\$ or US-6040086244-\$).did. or US-673796-\$ or US-6640020-\$ or US-6163638-\$ or US-6721916-\$ or US-6532326-\$ or US-6640020-\$ or US-673892-\$ or US-6748138-\$ or US-6901194-\$ or US-6909113-\$).did. or (WO-2004054347-\$).did. or (US-20010054681-\$ or JP-2002082239-\$ or JP-2002318354-\$ or US-6650466-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/05-17:08

898	8	S67 and equation	USPAT	8 R	OFF	2005/12/05 17:09
69S	2	S67 and (equation with length)	USPAT	క	OFF	2005/12/05 17:10
S70	18	(photonic near2 (crystal or crystalline or crystals or band-gap or (band adj gap) or bandgap or structure)) same (length with (define or defines or defined or defining or defintion or equation or relation))	USPAT	S,	OFF	2005/12/05 17:11
173	32	(photonic near2 (crystal or crystalline or crystals or band-gap or (band adj gap) or bandgap or structure)) same (length with (define or defines or defining or definition or equation or relation))	US-PGPUB; USOCR	S	OFF	2005/12/05 17:11
S72	7	(photonic near2 (crystal or crystalline or crystals or band-gap or (band adj gap) or bandgap or structure)) same (length with (define or defines or defined or defining or defintion or equation or relation))	EPO; JPO; DERWENT; IBM_TDB	R	OFF	2005/12/05 17:16
873	-	(photonic near2 (crystal or crystalline or crystals or band-gap or (band adj gap) or bandgap or structure)) and (length same (phase adj velocity))	EPO; JPO; DERWENT; IBM_TDB	8	- - -	2005/12/05 17:16
574	ω	(photonic near2 (crystal or crystalline or crystals or band-gap or (band adj gap) or bandgap or structure)) and (length same (phase adj velocity))	USPAT; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	S)	OFF	2005/12/05 17:49
<i>S72</i>	3146	(385/37);CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ĕ	OFF	2005/12/05 17:51
576	5520	((385/123) or (385/124) or (385/125) or (385/126) or (385/127) or (385/128)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 17:51

<i>S77</i>	0.	("34and35").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	RO .	OFF	2005/12/05 17:51
87.8	237	S7.5 and S7.6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	S.	OFF	2005/12/05 17:52
579	210	S78 and @ad<"20021111"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 17:54
280	4	S79 and ((compression or compressed or compressor or compressor or compressors) with (pulse or pulses))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	S.	OFF	2005/12/05 17:53
S81	9	S79 and ((compression or compressed or comrpessed or compressor or compressors or compress)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	S.	OFF	2005/12/05 17:53
285	ᅜ	S79 and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	N.	OFF	2005/12/05 17:55
583	159	((grating or gratings) same (filled or fills or filling or filler or fillers or fill) near2 (groove or grooves or trench or trenches or hole or holes))	USPAT	Ö	OFF	2005/12/05 18:02

OFF 2005/12/05 18:03	OFF 2005/12/05:18:09	OFF 2005/12/05 18:11	OFF 2005/12/05 18:10	OFF 2005/12/05 18:11	OFF 2005/12/05 18:20	OFF 2005/12/05 18:20	OFF 2005/12/05:18:21	OFF 2005/12/06 16:17	OFF 2005/12/06:16:17
80	g	g	Ř	SO.	S.	R	OR.	g	g
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR
("3884549"   "4852960"   "5166940"   "5216680"   "5237576"   "5471551"   "5682401"   "5682401"   "5684817"   "5838870"   "5852688"   "5907427"   "6028693"   "6035089"   "6215928"   "6240108"   "6305089"   "6343167"   "6400736"). PN. OR ("6757463").URPN.	("4405405").PN. OR ("5116461").URPN.	((surface adj relief) with (grating or gratings))	((surface adj relief) with (grating or gratings)) same (core or cores)	S86 and "385"/\$.ccls.	("4978187"   "5009484"   "5033812"   "5101459"   "5436991"   "5469518"). PN. OR ("6285813").URPN.	(Bragg) and (trenches or grooves)	S90 and ((trenches or grooves) with (fill or filling or fills or filled))	09/953,468	("4474427"   "4725110"   "4740951"   "4807950"   "4852960"   "5029981"   "5042897"   "5048913"   "5061032"   "5104209"   "5216739"   "5367588"   "5388173"   "5495548"   "5500916"   "5652818"   "5726805"   "5822479"   "5898804"   "6023354"   "6031951"   "6035089"   "6084998"   "6101302"   "6169831"   "6459533"   "6490393"   "6522795").PN. OR ("6748138").
19	4	800	88	148	16	2346	223	4	32
S84	285	586	282	288	88 88	06S	291	S10 5	6 510